



Hydraulic Grout Station




Hydraulic Grout Station

- 1 x Grout Pump
Model : GP60-E
- 1 no. x Agitator
- 1 no. x Mixer



- 1 x Grout Pump
Model : GP60-E
- 1 no. x Agitator
- 2 nos. x Mixer



Grout Pump Model: GP60-E


- Electric Input : 11kW/15HP
- Max. Output Flow : 63 l/min
- Max. Output Pressure : 72 bar

Grout Pump Model: GP160


- Electric Input : 22kW/30HP
- Max. Output Flow : 160 l/min
- Max. Output Pressure : 100 bar

Hydraulic Grout Station

- 1 x Grout Pump
Model : GP160
- 1 no. x Agitator
- 1 no. x Mixer



- 2 x Grout Pump
Model : GP160
- 1 no. x Agitator
- 2 nos. x Mixer






Mixer : M160A

- Electric Input : 7.5kW/10HP
- Mixing Capacity : 230 litres
- Discharge Capacity (Approx.) :
Flow : 60l/min Pressure : 5 bar

Agitator

- Electric Input : 3kW/4HP
- Storage Capacity : 600 litres
- Rotating Speed : 62 rpm

Job Site Photos



HD ENGINEERING LTD.

No. 21 Yip Wo Street, On Lok Tsuen, Fanling, N.T., Hong Kong

Tel : (852) 2675 4789



E-mail : sales@hdengineering.com

Fax : (852) 2677 4536

Web-site : www.hdengineering.com






Grout Station_V1_072010






Hydraulic Grout Pumps







The Range of Our Standard Hydraulic Grout Pumps

Sizes not in scale

Model No.	DGP50-35 (CGP30S)	DGP50-50 (CGP30HP)	DGP20-80 (CGP30SH)	DGP50-80 (CGP40T)	GP60-70 (GP60-E)
Drawing					
Electric Input	11kW / 15 HP	15kW / 20 HP	15kW / 20 HP	30kW / 40 HP	11 kW / 15HP
Max. Output Flow	92 l /min (46 l/min x 2)	92 l /min (46 l/min x 2)	44 l /min (22 l/min x 2)	90 l /min (45 l/min x 2)	63 l/min
Max. Output Pressure	35 bar	48 bar	80 bar	80 bar	72 bar
Weight with Hyd. Oil	690 kg	770 kg	790 kg	925 kg	900 kg

Model No.	GP100-35 (GP100-E)	GP100-55 (GP100HP-E)	GP160-100 (GP160)	GP90-150 (GP160S)	GP200-100 (GP200)
Drawing					
Electric Input	11 kW / 15HP	15 kW / 20HP	22 kW / 30HP	22 kW / 30HP	22 kW / 30HP
Max. Output Flow	100 l/min	100 l/min	160 l/min	90 l/min	200 l/min
Max. Output Pressure	35 bar	55 bar	100 bar	150 bar	100 bar
Weight with Hyd. Oil	900 kg	940 kg	1300 kg	1300 kg	1300 kg

Job Site Photos



HD ENGINEERING LTD.

No. 21 Yip Wo Street, On Lok Tsuen, Fanling, N.T., Hong Kong

Tel : (852) 2675 4789

E-mail : sales@hdengineering.com

Fax : (852) 2677 4536

Web-site : www.hdengineering.com

Grout Pump_V1_072010